


Lite Lion (HK) Trading Limited

Email: sales@litelion.com

Super Length Constant Current **New!**


5050 type **New!**

Super Length Constant Current, 5050-60LED/meter, 10meters length, 10MM width


YN-SL5050S60-10	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	600pcs/Roll	DC24V	120W/roll	10*10000MM /Roll	90-95	20-22LM
	Warm White	2800-3000						20-22LM

2835 types **New!**


Super Length Constant Current, 2835-60LED/meter, 10meters length, 10MM width

YN-SL2835S60-10	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	600pcs/Roll	DC24V	125W/roll	10*10000MM /Roll	90-95	20-22LM
	Warm White	2800-3000						20-22LM


Super Length Constant Current, 2835-60LED/meter, 15meters length, 10MM width

YN-SL2835S60-15	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	900pcs/Roll	DC24V	157W/roll	10*15000MM /Roll	90-95	20-22LM
	Warm White	2800-3000						20-22LM

Super Length Constant Current, 2835-60LED/meter, 20meters length, 12MM width


YN-SL2835S60-20	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	1200pcs/Roll	DC24V	170W/roll	12*20000MM /Roll	90-95	20-22LM
	Warm White	2800-3000						20-22LM

Super Length Constant Current, 2835-90LED/meter, 30meters length, 12MM width

YN-SL2835S90-30	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	2700pcs/Roll	DC36V	216W/roll	12*30000MM /Roll	90-95	20-22LM
	Warm White	2800-3000						20-22LM

3528 Type New!


Super Length Constant Current, 3528-90LED/meter, 30meters length, 12MM width

YN-SL3528S90-30	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	2700pcs/Roll	DC36V	2.16W/roll	12*30000MM/Roll	90-95	6-7LM
	Warm White	2800-3000						6-7LM


LED Strip Series High CRI

3528 LED Strip


3528 -30LED/meter 8MM width

YN-SN3528S30	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	150pcs/Roll	DC12V	2.4W/M	8*5000MM/Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm


3528 -48LED/meter 8MM width

YN-SN3528S48	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	240pcs/Roll	DC12V	3.8W/M	8*5000MM/Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm


3528 -60LED/meter 5MM width


YN-SN3528S60W5	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	300pcs/Roll	DC12V	4.8W/M	5*5000MM/Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm


3528 -60LED/meter 8MM width


YN-SN3528S60W8	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	300pcs/Roll	DC12V	4.8W/M	8*5000MM/Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm


3528 -60LED/meter 8MM width S-shape


YN-SS3528S60	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	300pcs/Roll	DC12V	4.8W/M	8*5000MM/Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm		DC24V				300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k		≥93			7-8lm	
	Warm White	2800-3200k		≥95			7-8lm	


3528 -60LED/meter 10MM width								
YN-SN3528S60W10	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	300pcs/Roll	DC12V	4.8W/M	10*5000MM/ Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm


3528 -96LED/meter 8MM width								
YN-SN3528S96	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	480pcs/Roll	DC12V DC24V	7.6W/M	8*5000MM/ Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm

3528 -120LED/meter 5MM width								
YN-SN3528S120W5	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	600pcs/Roll	DC12V DC24V	9.6W/M	8*5000MM/ Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm


3528 -120LED/meter 8MM width								
YN-SN3528S120W8	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	600pcs/Roll	DC12V DC24V	9.6W/M	8*5000MM/ Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm

3528 -120LED/meter 10MM width								
YN-SN3528S120W10	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	600pcs/Roll	DC24V	9.6W/M	10*5000MM/ Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm


3528 -140LED/meter 10MM width								
YN-SN3528S140	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	600pcs/Roll	DC24V	9.6W/M	10*5000MM/ Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm

3528 -180LED/meter 10MM width								
YN-SN3528S180	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	900pcs/Roll	DC24V	14.4W/M	10*5000MM/ Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm


3528 -240LED/meter Single line 10MM width

YN-SN3528S240	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	1200pcs/Roll	DC24V	19.2W/M	10*5000MM/ Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm


3528 -240LED/meter double line 15M width

YN-SN3528D240	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	1200pcs/Roll	DC24V	19.2W/M	15*5000MM/ Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm

3528 -360LED/meter Triple line 20MM width


YN-SN3528T360	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	1800pcs/Roll	DC12V DC24V	28.8W/M	20*5000MM/ Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm

3528 -480LED/meter Quad line 28MM width


YN-SN3528Q480	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	2400pcs/Roll	DC24V	38.4W/M	28*5000MM/ Roll		400-500mcd
	Yellow	585-590nm						400-600mcd
	Blue	465-470nm						300-500mcd
	Green	520-525nm						800-1000mcd
	White	5500-7500k					≥93	7-8lm
	Warm White	2800-3200k					≥95	7-8lm

2835 LED Strip


2835 - 30LED/meter 8mm Width

YN-SN2835S30	Colour	Colour Temperature	LED QTY	Voltage	Wattage	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	150pcs/Roll	DC12V	6W/M	8*5000MM/ Roll	≥93	22-24LM
	Warm White	2800-3000					≥95	22-24LM


2835 - 60LED/meter 8mm Width

YN-SN2835S60W8	Colour	Colour Temperature	LED QTY	Voltage	Wattage	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	300pcs/Roll	DC12V DC24V	12W/M	8*5000M/ Roll	≥93	22-24LM
	Warm White	2800-3000					≥95	22-24LM


2835 - 60LED/meter 8MM width, S-shape

YN-SS2835S60	Colour	Colour Temperature	LED QTY	Voltage	Wattage	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	300pcs/Roll	DC12V	12W/M	8*5000M/ Roll	≥93	22-24LM
	Warm White	2800-3000					≥95	22-24LM


2835 - 60LED/meter 10mm Width

YN-SN2835S60W10	Colour	Colour Temperature	LED QTY	Voltage	Wattage	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	300pcs/Roll	DC24V	12W/M	10*5000MM/ Roll	≥93	22-24LM
	Warm White	2800-3000					≥95	22-24LM


2835 - 120LED/meter 5mm Width

YN-SN2835S120W5	Colour	Colour Temperature	LED QTY	Voltage	Wattage	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	600pcs/Roll	DC24V	19.2W/M	5*5000MM/ Roll	≥93	22-24LM
	Warm White	2800-3000					≥95	22-24LM


2835 - 120LED/meter 8mm Width

YN-SN2835S120W8	Colour	Colour Temperature	LED QTY	Voltage	Wattage	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	600pcs/Roll	DC24V	20W/M	8*5000MM/ Roll	≥93	22-24LM
	Warm White	2800-3000					≥95	22-24LM


2835 - 120LED/meter 10mm Width

YN-SN2835S120W10	Colour	Colour Temperature	LED QTY	Voltage	Wattage	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	600pcs/Roll	DC12V DC24V	24W/M	10*5000MM/ Roll	≥93	22-24LM
	Warm White	2800-3000					≥95	22-24LM


2835 - 140LED/meter 10mm Width

YN-SN2835S140	Colour	Colour Temperature	LED QTY	Voltage	Wattage	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	700pcs/Roll	DC24V	24W/M	10*5000MM/ Roll	≥93	22-24LM
	Warm White	2800-3000					≥95	22-24LM


2835 - 144LED/meter 15mm Width

YN-SN2835S144	Colour	Colour Temperature	LED QTY	Voltage	Wattage	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	720pcs/Roll	DC24V	28.8W/M	15*5000MM/ Roll	≥93	22-24LM
	Warm White	2800-3000					≥95	22-24LM

2835 - 168LED/meter 20mm Width


YN-SN2835D168	Colour	Colour Temperature	LED QTY	Voltage	Wattage	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	840pcs/Roll	DC24V	30W/M	20*5000MM/ Roll	≥93	22-24LM
	Warm White	2800-3000					≥95	22-24LM

2835 - 240LED/meter 10mm Width


YN-SN2835S240	Colour	Colour Temperature	LED QTY	Voltage	Wattage	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	1200pcs/Roll	DC24V	24W/M	10*5000MM/ Roll	≥93	22-24LM
	Warm White	2800-3000					≥95	22-24LM

5050 LED Strip


5050 -30LED/M 10mm width

YN-SN5050S30	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	150pcs/Roll	DC12V DC24V	7.2W/M	10*5000MM/ Roll		1200-1500mcd
	Yellow	585-590nm						1200-1500mcd
	Blue	465-470nm						1000-1500mcd
	Green	520-525nm						2000-3000mcd
	White	5500-7500k					≥93	20-22LM
	Warm White	2800-3200k					≥95	20-22LM
	RGB							2000-2500mcd


5050 -42LED/M 12mm width S-shape

YN-SS5050S42	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	210pcs/Roll	DC12V	10W/M	12*5000MM/ Roll		1200-1500mcd
	Yellow	585-590nm						1200-1500mcd
	Blue	465-470nm						1000-1500mcd
	Green	520-525nm						2000-3000mcd
	White	5500-7500k					≥93	20-22LM
	Warm White	2800-3200k					≥95	20-22LM
	RGB							2000-2500mcd


5050 -48LED/M 10mm width

YN-SN5050S48	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	240pcs/Roll	DC12V	11.5W/M	10*5000MM/ Roll		1200-1500mcd
	Yellow	585-590nm						1200-1500mcd
	Blue	465-470nm						1000-1500mcd
	Green	520-525nm						2000-3000mcd
	White	5500-7500k					≥93	20-22LM
	Warm White	2800-3200k					≥95	20-22LM
	RGB							2000-2500mcd


5050 -60LED/M 8mm width

YN-SN5050S60W8	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	300pcs/Roll	DC12V DC24V	14.4W/M	8*5000MM/ Roll		1200-1500mcd
	Yellow	585-590nm						1200-1500mcd
	Blue	465-470nm						1000-1500mcd
	Green	520-525nm						2000-3000mcd
	White	5500-7500k					≥93	20-22LM
	Warm White	2800-3200k					≥95	20-22LM
	RGB							2000-2500mcd


5050 -60LED/M 10mm width

YN-SN5050S60W10	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	300pcs/Roll	DC12V DC24V	14.4W/M	10*5000MM/ Roll		1200-1500mcd
	Yellow	585-590nm						1200-1500mcd
	Blue	465-470nm						1000-1500mcd
	Green	520-525nm						2000-3000mcd
	White	5500-7500k					≥93	20-22LM
	Warm White	2800-3200k					≥95	20-22LM
	RGB							2000-2500mcd


5050 -60LED/M 12mm width

YN-SN5050S60W12	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	300pcs/Roll	DC24V	14.4W/M	12*5000MM/ Roll		1200-1500mcd
	Yellow	585-590nm						1200-1500mcd
	Blue	465-470nm						1000-1500mcd
	Green	520-525nm						2000-3000mcd
	White	5500-7500k					≥93	20-22LM
	Warm White	2800-3200k					≥95	20-22LM
	RGB							2000-2500mcd



5050 -96LED/M 12mm width

YN-SN5050S96	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	480pcs/Roll	DC24V	23W/M	12*5000MM/ Roll		1200-1500mcd
	Yellow	585-590nm						1200-1500mcd
	Blue	465-470nm						1000-1500mcd
	Green	520-525nm						2000-3000mcd
	White	5500-7500k					≥93	20-22LM
	Warm White	2800-3200k					≥95	20-22LM

5050 -120LED/M Double line 15mm width


YN-SN5050D120W15	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	600pcs/Roll	DC24V	28.8W/M	15*5000MM/ Roll		1200-1500mcd
	Yellow	585-590nm						1200-1500mcd
	Blue	465-470nm						1000-1500mcd
	Green	520-525nm						2000-3000mcd
	White	5500-7500k					≥93	20-22LM
	Warm White	2800-3200k					≥95	20-22LM

5050 -120LED/M Double line 20mm width


YN-SN5050D120W20	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Red	620-630nm	600pcs/Roll	DC24V	28.8W/M	20*5000MM/ Roll		1200-1500mcd
	Yellow	585-590nm						1200-1500mcd
	Blue	465-470nm						1000-1500mcd
	Green	520-525nm						2000-3000mcd
	White	5500-7500k					≥93	20-22LM
	Warm White	2800-3200k					≥95	20-22LM
		RGB						

5630 LED Strip


5630 - 30LED/meter 10mm width

YN-SN5630S30	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	White	5500-7500K	150pcs/Roll	DC12V	7.2W/M	10*5000MM/ Roll	≥81	50-55LM
	Warm White	2800-3200K					≥81	50-55LM


5630 -60LED/meter 10mm width

YN-SN5630S60W10	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	White	5500-7500K	300pcs/Roll	DC12V DC24V	14.4W/M	10*5000MM/ Roll	≥81	50-55LM
	Warm White	2800-3200K					≥81	50-55LM


5630 -60LED/meter 6mm width

YN-SN5630S60W6	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	White	5500-7500K	300pcs/Roll	DC12V	12W/M	6*5000MM/ Roll	≥81	50-55LM
	Warm White	2800-3200K					≥81	50-55LM


5630 -72LED/meter 10mm width


YN-SN5630S72	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	White	5500-7500K	360pcs/Roll	DC12V DC24V	17.2W/M	10*5000MM/ Roll	≥81	50-55LM
	Warm White	2800-3200K					≥81	50-55LM


5630 -120LED/meter Double line 15mm width


YN-SN5630D120	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	White	5500-7500K	600pcs/Roll	DC24V	28.8W/M	15*5000MM/ Roll	≥81	50-55LM
	Warm White	2800-3200K					≥81	50-55LM


3014 LED Strip


3014 -42LED/M 8MM width								
YN-SN3014S42	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	White	5500-7500K	210pcs/Roll	DC24V	4.3W/M	8*5000MM/ Roll	≥90	10-12LM
	Warm White	2800-3200K						10-12LM


3014 - 60LED/M 8MM width								
YN-SN3014S60	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	White	5500-7500K	300pcs/Roll	DC12V DC24V	7.2W/M	8*5000MM/ Roll	≥90	10-12LM
	Warm White	2800-3200K						10-12LM


3014 - 70LED/M 8MM width								
YN-SN3014S70	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	White	5500-7500K	350pcs/Roll	DC24V	7.2W/M	8*5000MM/ Roll	≥90	10-12LM
	Warm White	2800-3200K						10-12LM

3014 - 120LED/M 5MM width								
YN-SN3014S120W5	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	White	5500-7500K	600pcs/Roll	DC12V	12W/M	5*5000MM/ Roll	≥90	10-12LM
	Warm White	2800-3200K						10-12LM


3014 - 120LED/M 8MM width								
YN-SN3014S120W8	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	White	5500-7500K	600pcs/Roll	DC12V DC24V	14.4W/M	8*5000MM/ Roll	≥90	10-12LM
	Warm White	2800-3200K						10-12LM


3014 - 140LED/M 10MM width								
YN-SN3014S140	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	White	5500-7500K	700pcs/Roll	DC24V	14.4W/M	10*5000MM/ Roll	≥90	10-12LM
	Warm White	2800-3200K						10-12LM


3014 - 204LED/M 10MM width							
YN-SN3014S204	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI
	White	5500-7500K	1020pcs/Roll	DC12V	20.4W/M	10*5000MM/ Roll	≥90
	Warm White	2800-3200K					


3014 - 240LED/M 10MM width							
YN-SN3014S240	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI
	White	5500-7500K	1200pcs/Roll	DC12V	24W/M	10*5000MM/ Roll	≥90
	Warm White	2800-3200K					

Side View LED Strip 3014


Side View 3014 -60LED/M 8MM width							
YN-SV3014S60	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI
	White	6000-6500	300pcs/Roll	DC12V	6W/M	8*5000MM/ Roll	≥81
	Warm White	2800-3200K					

Side View 3014 -84LED/M 10MM width							
YN-SV3014S84	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI
	White	6000-6500	420pcs/Roll	DC12V	8.4W/M	10*5000MM/ Roll	≥81
	Warm White	2800-3200K					

Side View 3014 -120LED/M 8MM width							
YN-SV3014S120	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI
	White	6000-6500	600pcs/Roll	DC12V	12W/M	8*5000MM/ Roll	≥81
	Warm White	2800-3200K					


Side View 3014 -156LED/M 8MM width							
YN-SV3014S156W8	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI
	White	6000-6500	780pcs/Roll	DC12V	15.6W/M	8*5000MM/ Roll	≥81
	Warm White	2800-3200K					

Side View 3014 -156LED/M 10MM width


YN-SV3014S156W10	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	White	6000-6500	780pcs/Roll	DC12V	15.6W/M	10*5000MM/ Roll	≥81	10-12LM
	Warm White	2800-3200K						10-12LM

RGB+W LED Strip


5050RGB+5050W -60pcs/m 10MM Width

YN-SD5050S60	Color	Color Temperature	LED QTY	Input Voltage	Power	Size	Size	Lumens
	5050RGB+5050W	2800-3200k	300pcs/Roll	DC12V DC24V	14.4W/M	10*5000MM/ Roll	2700-7500K CRI 93-95	20-22lm+2000-2500mcdRGB
		5500-7500k						
		■■■RGB						


5050RGB+5050W 72pcs/m 12MM Width

YN-SD5050S72W12	Color	Color Temperature	LED QTY	Input Voltage	Power	Size	CRI	Lumens
	5050RGB+5050W	2800-3200k	360pcs/Roll	DC12V	17.2W/M	12*5000MM/ Roll	2700-7500K CRI 93-95	20-22lm+2000-2500mcdRGB
		5500-7500k						
		■■■RGB						


5 colors, 5050RGB+5050W+WW 72pcs/m 16MM Width

YN-SD5050S72W16	Color	Color Temperature	LED QTY	Input Voltage	Power	Size	CRI	Lumens
	5050RGB+5050W+WW	2800-3200k	360pcs/Roll	DC24V	14.4W/M	16*5000MM/ Roll	2700-7500K CRI 93-95	20-22lm+2000-2500mcdRGB
		5500-7500k						
		■■■RGB						


5050RGB+5050W 96pcs/m 12MM Width

YN-SD5050S96	Color	Color Temperature	LED QTY	Input Voltage	Power	Size	CRI	Lumens
	5050RGB+5050W	2800-3200k	480pcs/Roll	DC12V	23W/M	12*5000MM/ Roll	2700-7500K CRI 93-95	20-22lm+2000-2500mcdRGB
		5500-7500k						
		■■■RGB						


5050RGB+5050W-120pcs/m (double line) 20MM Width

YN-SD5050D120	Color	Color Temperature	LED QTY	Input Voltage	Power	Size	CRI	Lumens
	5050	2800-3200K	600pcs/Roll	DC12V	28.8W/M	20*5000MM/ Roll	2700- 7500K CRI 93- 95	20- 22lm+2000- 2500mcdRGB
		5500-7500K						
	5050	■■■RGB						


5050RGB+5050W-144pcs/m (double line) 20MM Width

YN-SD5050D144	Color	Color Temperature	LED QTY	Input Voltage	Power	Size	CRI	Lumens
	5050	2800-3200K	720pcs/Roll	DC24V	34.4W/M	20*5000MM/ Roll	2700- 7500K CRI 93- 95	20- 22lm+2000- 2500mcdRGB
		5500-7500K						
	5050	■■■RGB						


4 Chips in 1 LED 5050RGB+W-60pcs/m 12MM Width

YN-SQ5050S60	Color	Color Temperature	LED QTY	Input Voltage	Power	Size	CRI	Lumens
	5050RGB+5 050W	2800-3200k	300pcs/Roll	DC12V DC24V	19.2W/M	12*5000MM/ Roll	2700- 7500K CRI 93- 95	6-8lm+2000- 2500mcdRGB
		5500-7500k						
		■■■RGB						


4 Chips in 1 LED 5050RGB+W-72pcs/m 12MM Width

YN-SQ5050S72	Color	Color Temperature	LED QTY	Input Voltage	Power	Size	CRI	Lumens
	5050RGB+5 050W	2800-3200k	360pcs/Roll	DC24V	23W/M	12*5000MM/ Roll	2700- 7500K CRI 93- 95	6-8lm+2000- 2500mcdRGB
		5500-7500k						
		■■■RGB						

4 Chips in 1 LED 5050RGB+W 84pcs/m 12MM Width


YN-SQ5050S84	Color	Color Temperature	LED QTY	Input Voltage	Power	Size	CRI	Lumens
	5050RGB+5 050W	2800-3200k	420pcs/Roll	DC12V DC24V	26.8W/M	12*5000MM/ Roll	2700- 7500K CRI 93- 95	6-8LM+2000- 2500mcdRGB
		5500-7500k						
		■■■RGB						

4 Chips in 1 LED 5050RGB+W 96pcs/m 12MM Width


YN-SQ5050S96	Color	Color Temperature	LED QTY	Input Voltage	Power	Size	CRI	Lumens
	5050RGB+5 050W	2800-3200k	480pcs/Roll	DC24V	30.6W/M	12*5000MM/ Roll	2700- 7500K CRI 93- 95	6-8lm+2000- 2500mcdRGB
		5500-7500k						
		■■■RGB						

Colour Temperature Adjustable LED Strip


Colour Temperature Adjustable, 3528 -60LED/meter 8MM width

YN-SA3528S60W8	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous
	Warm White + Pure White	2800-3200K 5500-7500K	600pcs/Roll	DC12V	4.8W/M	8*5000MM/ Roll	93-95	7-8lm


Colour Temperature Adjustable, 2 chips in 1 LED, 3528 -60LED/meter 10MM width

YN-SA3528S60W10	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous
	Warm White + Pure White	2800-3200K 5500-7500K	600pcs/Roll	DC12V DC24V	9.6W/M	10*5000MM/ Roll	93-95	7-8lm


Colour Temperature Adjustable, 3528 -120LED/meter 10MM width

YN-SA3528S120	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous
	Warm White + Pure White	2800-3200K 5500-7500K	600pcs/Roll	DC12V DC24V	9.6W/M	10*5000MM/ Roll	93-95	7-8lm


Colour Temperature Adjustable, 2 chips in 1 LED, 3528 -120LED/meter 10MM width

YN-SA3528S120W10	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous
	Pure White	5500-7500K	600pcs/Roll	DC12V DC24V	19.2W/M	10*5000MM/ Roll	93-95	7-8lm
	Warm White	2800-3200K						


Colour Temperature Adjustable, 3528 -240LED/meter double line 15MM width

YN-SA3528D240	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous
	Warm White + Pure White	2800-3200K 5500-7500K	1200pcs/Roll	DC24V	19.2W/M	10*5000MM/ Roll	93-95	7-8lm


Colour Temperature Adjustable, 3014 -224LED/meter 10MM width

YN-SA3014S224	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous
	Warm White + Pure White	2800-3200K 5500-7500K	1120pcs/Roll	DC24V	25W/M	10*5000MM/ Roll	80	10-12lm/CRI81


Colour Temperature Adjustable, 5050WW+W -60LED/meter 10MM width

YN-SA5050S60	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	5050W+5050 WW	2800-3200k	300pcs/Roll	DC12V DC24V	14.4W/M	10*5000MM/ Roll	93-95	20-22LM
		5500-7500k						20-22LM


Colour Temperature Adjustable, 2 chips in 1 LED, 5050WW+W -60LED/meter 10MM width

YN-SA5050S60W10	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	5500-7500K	300pcs/Roll	DC12V	19.2W/M	10*5000MM/ Roll	93-95	20-22LM
	Warm White	2800-3200K						20-22LM


Colour Temperature Adjustable, 2835 -112LED/meter 10MM width

YN-SA2835S112	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	560pcs/Roll	DC24V	19.2W/M	10*5000MM/ Roll	93-95	22-24LM
	Warm White	2800-3000						22-24LM


Colour Temperature Adjustable, 2835 -120LED/meter 10MM width

YN-SA2835S120	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	600pcs/Roll	DC12V	24W/M	10*5000MM/ Roll	93-95	22-24LM
	Warm White	2800-3000						22-24LM

Colour Temperature Adjustable, 5630 -60LED/meter 10MM width

YN-SA5630S60	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	5500-7500K	300pcs/Roll	DC24V	14.4W/M	10*5000MM/ Roll	80	50-55LM
	Warm White	2800-3200K						50-55LM


Colour Temperature Adjustable, 5630 -112LED/meter 10MM width

YN-SA5630S112	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	5500-7500K	560pcs/Roll	DC24V	23W/M	10*5000MM/ Roll	80	50-55LM
	Warm White	2800-3200K						50-55LM


Constant Current

3528 LED Strip

Constant Current, 3528-70LED/meter 10MM width


YN-SC3528S70	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	350pcs/Roll	DC24V	4.8W/M	10*5000MM/ Roll	93-95	7-8lm
	Warm White	2800-3000						7-8lm

Constant Current, 3528-228LED/meter 12MM width


YN-SC3528S228	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	1140pcs/Roll	DC24V	18.2W/M	12*5000MM/ Roll	93-95	7-8lm
	Warm White	2800-3000						7-8lm

5050 LED Strip

Constant Current, 5050-30LED/meter 10MM width


YN-SC5050S30	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	150pcs/Roll	DC24V	8.6W/M	10*5000MM/ Roll	93-95	20-22LM
	Warm White	2800-3000						20-22LM


Constant Current, 5050-60LED/meter 10MM width


YN-SC5050S60	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	300pcs/Roll	DC24V	14.4W/M	10*5000MM/ Roll	93-95	20-22LM
	Warm White	2800-3000						20-22LM


2835 LED Strip

Constant Current, 2835-70LED/meter 10MM width


YN-SC2835S70	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	350pcs/Roll	DC24V	12W/M	10*5000MM/ Roll	93-95	22-24LM
	Warm White	2800-3000						22-24LM


Constant Current, 2835-112LED/meter 10MM width								
YN-SC2835S112	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	560pcs/Roll	DC24V	19.2W/M	10*5000MM/Roll	93-95	22-24LM
	Warm White	2800-3000						22-24LM


Constant Current, 2835-120LED/meter 10MM width								
YN-SC2835S120	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	600pcs/Roll	DC24V	19.2W/M	10*5000MM/Roll	93-95	22-24LM
	Warm White	2800-3000						22-24LM

Constant Current, 2835-140LED/meter 10MM width								
YN-SC2835D140	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	700pcs/Roll	DC24V	24W/M	10*5000MM/Roll	93-95	22-24LM
	Warm White	2800-3000						22-24LM

5630 LED Strip

Constant Current, 5630-70LED/meter 12MM width								
YN-SC5630S70	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	350pcs/Roll	DC24V	14.4W/M	12*5000MM/Roll	93-95	22-24LM
	Warm White	2800-3000						22-24LM

Constant Current, 5630-126LED/meter 12MM width								
YN-SC5630S126	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	630pcs/Roll	DC24V	14.4W/M	12*5000MM/Roll	93-95	22-24LM
	Warm White	2800-3000						22-24LM

Constant Current, 5630-140LED/meter double line 16MM width								
YN-SC5630D140	Colour	Colour Temperature	LED QTY	Voltage	Power	Dimension	CRI	Unit Luminous Flux
	Pure White	6000-6500	700pcs/Roll	DC24V	28.8W/M	16*5000MM/Roll	93-95	50-55LM
	Warm White	2800-3000						50-55LM

Strips available non waterproof IP20 and waterproof IP65, IP67 and IP68

Didn't find what you are looking for ? No problems, we can produce it.